



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(Untabulated).

ARGENTINA—*Buenos Aires*.—Month of May, 1912. Population, 1,379,421. Total number of deaths from all causes 1,869, including diphtheria 18, measles 4, scarlet fever 3, tuberculosis 185, typhoid fever 87.

AUSTRALIA—*Newcastle*.—Month of April, 1912. Population, 56,000. Total number of deaths from all causes 60, including diphtheria 1, tuberculosis 4, typhoid fever 2.

CHILE—*Punta Arenas*.—Month of April, 1912. Population, 14,000. Total number of deaths from all causes 39, including tuberculosis 3.

EAST AFRICA—*Lourenço Marquez*.—Month of April, 1912. Population, 10,000. Total number of deaths from all causes 42, including tuberculosis 9.

FRANCE—*Marseille*.—Month of May, 1912. Population, 550,619. Total number of deaths from all causes 762, including diphtheria 7, measles 6, scarlet fever 1, tuberculosis 128, typhoid fever 16.

GREAT BRITAIN—Week ended July 20, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 11.5 per 1,000 of the population, which is estimated at 17,639,816.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 14.5 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Newtownards, viz, 5.7, and the highest at Tralee, viz, 21.1 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 13.6 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Clydebank, viz, 3.9, and the highest at Perth, viz, 21.7 per 1,000. The total number of deaths from all causes was 567, including diphtheria 5, measles 5, scarlet fever 1.

INDIA—*Rangoon*.—Month of May, 1912. Population, 293,316. Total number of deaths from all causes 706, including cholera 7, plague 23, scarlet fever 46, smallpox 16, tuberculosis 53, typhoid fever 1.

ITALY—*Florence*.—Month of June, 1912. Population, 239,295. Total number of deaths from all causes 277, including measles 10, typhus fever 3, tuberculosis 36.

Genoa.—Two weeks ended June 15, 1912. Population, 272,077. Total number of deaths from all causes 155, including diphtheria 3, tuberculosis 13.

Messina.—Month of May, 1912. Population, 127,000. Total number of deaths from all causes 177, including scarlet fever 10, tuberculosis 9, typhus fever 2.

PORTO RICO—*San Juan*.—Four weeks ended July 27, 1912. Population 32,048. Total number of deaths from all causes not reported. The deaths include plague 1, tuberculosis 2. Cases reported: Plague 12, tuberculosis 21, typhoid fever 7.

RUSSIA—*Libau*.—Month ended June 13, 1912. Population 84,000. Total number of deaths from all causes not reported. The deaths include diphtheria 4, scarlet fever 5, smallpox 1, typhoid fever 2.

SPAIN—*Huelva*.—Month of June, 1912. Population 28,982. Total number of deaths from all causes 53, including tuberculosis 5, typhoid fever 2.

URUGUAY—*Montevideo*.—Month of May, 1912. Population 343,849. Total number of deaths from all causes 450, including tuberculosis 69, typhoid fever 5.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health Service.

ADDITIONAL COPIES of this publication
may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy
Subscription price, per volume..... \$2

